State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-21-235 . Relating to Certification of New Heavy-Duty Engines and Vehicles

CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board at Sections 43100, 43101, and 43102 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9; and

Pursuant to the December 15, 1998 Settlement Agreement between the Air Resources Board and Cummins Engine Company, Inc. and any modifications to the Settlement Agreement;

IT IS ORDERED AND RESOLVED: That the following 1999 model-year Cummins Engine Company, Inc. diesel-derived engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Liquefied Petroleum Gas (LPG)

Engine Family		lacement <u>Cubic Inches</u>	Exhaust Emission Control Systems and Special Features
XCEXH0359BAL (493F)	5.9	359	Turbocharger Charge Air Cooler Engine Control Module Oxidation Catalytic Converter Heated Oxygen Sensor

The engine models and codes are listed on attachments.

BE IT ORDERED AND RESOLVED: That the following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour under the Federal Test Procedure ("FTP") for Heavy-Duty Diesel Engines (Title 13, California Code of Regulations, Section 1956.8):

	Total	Carbon	Nitrogen	Particulate
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Matter</u>
"FTP"	1.3	15.5	2.5	0.10

BE IT FURTHER RESOLVED: That the following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

	Total	Carbon	Nitrogen	Particulate
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Matter</u>
"FTP"	0.8	1.0	2.3	0.01

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed engine models are certified to the optional lower-emission NOx standards pursuant to Title 13, California Code of Regulations, Section 1956.8(a)(1).

BE IT FURTHER RESOLVED: That the aforementioned engine family has been conditionally certified subject to the following conditions:

1. The Settlement Agreement is in effect.

2. The Settlement Agreement has not become null and void under Settlement Agreement Paragraph 165.

3. Cummins Engine Company is in compliance with all applicable certification requirements of the Settlement Agreement.

4. By April 22, 1999, the Settlement Agreement is modified in accordance with the letter dated January 5, 1999 from Bruce Fergusson of the United States Environmental Protection Agency to John Rubino of Cummins Engine Company. Engines produced on or before April 22, 1999 are covered by this Executive Order if Cummins Engine Company is in compliance with all other terms and conditions of this Executive Order, regardless of whether the condition stated in the previous sentence is ultimately met.

Engines produced on or after April 22, 1999 are not covered by this Executive Order unless the Settlement Agreement is modified as specified in Condition 4.

Engines certified under this Executive Order must conform to all applicable California emission regulations and to all applicable terms and conditions of the Settlement Agreement.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 26^{+6} day of January 1999.

R. B. Summerfield, Chief

Mobile Source Operations Division

LARGE ENGINE MODEL SUMMARY

Manufacturer:	Manufacturer: Cummins Engine Company	e Company		Process Code:	Process Code: New Submission.	sion		
EPA Engine Fan	EPA Engine Family: XCEXH0359BAL	59BAL		Manufacturer Family Name:	amily Name:	493F		
1.Engine Code	1.Engine Code 2.Engine Model	3.BHP@RPM (SAE Gross)	4.ruel Hate: mm/stroke @ peak HP (for diesel only)	5.ruel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Hate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	8.Fuel Rate: 9.Emission Control lbs/hr)@peak torque Device Per SAE J1930
CPL 2171	B5.9-195LPG	195@ 2600	na	a na 420 @ 1600 na	420 @ 1600	na	กล	בניא דנ נאנ טנ אסט א
CPL 2439				:				C 4 A
FR 90219								